



Rainwater harvesting in style

STYLISH TANKS



MODERN LINE

EXCLUSIVE LINE

CLASSIC LINE

BASIC LINE

There's a stylish tank to suit all tastes

Choose your tank from more than 70 sizes, shapes and colours



TIP
Online product advisors
www.graf-water.com

MODERN LINE

Trendy and modern design
Page 6



EXCLUSIVE LINE

For the highest quality standards
Page 14



CLASSIC LINE

Decorative rainwater tanks
Page 22



BASIC LINE

Essential for outstanding water quality and convenient use
Page 38



For over 50 years, Otto Graf GmbH has been offering highclass plastic products to its customers.

In 1974 GRAF developed its first pioneering range of rainwater harvesting products.

We are the market leader in Germany and Europe for plastic rainwater collectors.

Make some serious savings

Mains water is an expensive commodity – much too expensive to be used for watering plants. Rainwater harvesting is a perfectly available alternative. GRAF offers a range of stylish harvesting rainwater tanks for your garden which are both kind on your purse and extremely pleasing to the eye.

Smart people water their garden with rainwater

For plants, there's no water better than rainwater. It's clean, soft, well-behaved, free and falls from the sky on a regular basis. It's much better than tap water and groundwater, which are cold and often hard. Rainwater tanks are therefore becoming an increasingly common feature in gardens.

A special filter, which filters the precious resources and prevents the tank from overflowing, makes the ideal connection to the downpipe.



Manufacturing certified according to ISO 9001

We love our garden!



Guaranteed GRAF quality



The integrated plant cup enables an individual design for all 2in1 water tanks.



100 % RECYCLABLE

The tank material is 100% recyclable. We attach great importance to durable product design, right from the product development stage. Manufacture is carried out using state-of-the-art production facilities, which ensures that the environmental impact is minimised in the long run.

CHILD-PROOF

With their closed tank shapes or integrated covers, Graf decorative tanks are childproof.

INCLUDING MOUNTING ACCESSORIES

Each tank is supplied together with suitable assembly accessories. These may include an inlet seal, a plant mat for plantable tanks, and wind protection for tanks installed against walls.

WEATHER-RESISTANT

A rainwater tank is exposed to weather conditions and extreme temperature fluctuations. Materials adapted to these conditions ensure a long-lasting attractive appearance.

THREADED CONNECTION


A standard 19 mm (3/4") thread connection makes the tap (accessories) easy to install without drilling. Using a tap or the GRAF Universal Hose Kit (accessories), water extraction couldn't be easier.

Downpipe filter and Accessories

Page 42




Natura 2in1 water tank
arctic, order no. 326150



PURE NATURE!

The tank with wavelike surface texture presents itself in ever new facets depending on the incidence of light. The Natura 2in1 water tank sets a lively trend on your terrace.



Natura 2in1 water tank

In natural pastel colors



Natura 2in1 water tank
sahara, order no. 326152

Natura 2in1 water tank
350 l (92 US gal.)
Height 150 cm (4' 11.1")
ø above 62 cm (24.4")
ø below 50 cm (19.7")
Weight 15 kg (33.1 lbs)
arctic order no. 326150
beach order no. 326151
sahara order no. 326152
ocean order no. 326153

TIP
Design Chrome tap 19 mm (3/4")
 Order no. 330254
 For details please see page 50



- Tank with attractive wavy surface structure
- 2 functions: rainwater storage and decoration
- The water tank includes two high-quality brass threads
- Water can be extracted with ease using the tap or water butt connection kit (accessories, page 50)



Natura 2in1 water tank
ocean, order no. 326153



Color 2in1 water tank

Trendy colors



Color 2in1 water tank
apple, order no. 326100

Color 2in1 water tank

350 l (92 US gal.)

Height 150 cm (4' 11.1")

ø above 62 cm (24.4")

ø below 50 cm (19.7")

Weight 15 kg (33.1 lbs)

apple order no. 326100

tomato order no. 326102

cassis order no. 326103

coco order no. 326105

TIP
Design Chrome tap 19 mm (¾")
 Order no. 330254
 For details please see page 50



- 2 functions: rainwater storage and decoration
- The water tank includes two high-quality brass threads
- Water can be extracted with ease using the tap or water butt connection kit (accessories, page 50)



Color 2in1 water tank
coco, order no. 326105

apple



tomato



cassis




coco



Stone 2in1 water tank

In natural stone look

Stone 2in1 water tank
silver, order no. 326140



PREMIUM QUALITY



Stone 2in1 water tank
lava, order no. 326141

- 2 functions: rainwater storage and decoration
- The water tank includes two high-quality brass threads
- Water can be extracted with ease using the tap or water butt connection kit (accessories, page 50)

Stone 2in1 water tank
350 l (92 US gal.)
Height 150 cm (4' 11.1")
ø above 62 cm (24.4")
ø below 50 cm (19.7")
Weight 15 kg (33.1 lbs)
silver order no. 326140
lava order no. 326141

TIP
Design Chrome tap 19 mm (3/4")
Order no. 330254
 For details please see page 50



Antique amphora | Antique wall amphora | Antique plant amphora

Give your home a mediterranean flair



EXCLUSIVE LINE



Antique amphora 360 l (95 US gal.)
terracotta, order no. 211602

Antique plant amphora
terracotta, order no. 211600

Antique amphora
250 l (66 US gal.)
ø max. 70 cm (27.6")
Width above handles 79 cm (31.1")
Height 108 cm (3' 6.5")
Weight 15 kg (33.1 lbs)
terracotta order no. 211601
sandstone order no. 211605
dark granite order no. 211609

Antique amphora
600 l (159 US gal.)
ø max. 92 cm (36.2")
Width above handles 104 cm (3' 4.9")
Height 142 cm (4' 7.9")
Weight 30 kg (66.1 lbs)
terracotta order no. 211612
sandstone order no. 211613
dark granite order no. 211614

Antique wall amphora
260 l (69 US gal.)
Depth 54 cm (21.3")
Width above handles 88 cm (34.6")
Height 120 cm (3' 11.2")
Weight 20 kg (44.1 lbs)
terracotta order no. 211603
sandstone order no. 211607
dark granite order no. 211611

Antique amphora
360 l (95 US gal.)
ø max. 78 cm (30.7")
Width above handles 88 cm (34.6")
Height 120 cm (3' 11.2")
Weight 20 kg (44.1 lbs)
terracotta order no. 211602
sandstone order no. 211606
dark granite order no. 211610

TIP
Rain collector Speedy
downpipe filter with
filter insert.
Order no. 503041
For details please see page 44



Antique plant amphora
Can be used for decoration or
simply as a planter
ø max. 52 cm (20.5")
Width above handles 59 cm (23.2")
Height 80 cm (31.5")
Weight 7 kg (15.4 lbs)
terracotta order no. 211600
sandstone order no. 211604
dark granite order no. 211608

- Integrated plant cup for an individual design
- Each tank is unique due to the special production process
- The water tank includes two high-quality brass threads
- Water can be extracted with ease using the tap or water butt connection kit (accessories, page 50)



Woody wall tank

With a wooden finish

Woody wall tank
lightwood, order no. 212201



Woody wall tank
350 l (92 US gal.)
Width 124 cm (4' 0.8") | **Depth** 40 cm (15.7")
Height 100 cm (3' 3.4")
Weight 35 kg (77.2 lbs)
darkwood order no. 212200
lightwood order no. 212201

TIP
Brass drain tap
Order no. 220011
For details please see page 50



- Each tank is unique due to the special production process
- The water tank includes three high-quality brass threads
- Water can be extracted with ease using the tap or water butt connection kit (accessories, page 50)



Sunda wall tank

In a modern wicker finish

Sunda wall tank
300 l (79 US gal.)
Width 80 cm (31.5") | **Depth** 40 cm (15.7")
Height 118 cm (3' 10.5")
Weight 16 kg (35.3 lbs)
mocca order no. 212100

TIP
Rain collector Speedy
downpipe filter with
filter insert.
Order no. 503041
For details please see page 44



Rocky wall tank

In lifelike stone look



Rocky wall tank
dark granite, order no. 326130

PREMIUM QUALITY

Rocky wall tank
400 l (106 US gal.)
Width 120 cm (3' 11.2") | **Depth** 40 cm (15.7")
Height 100 cm (3' 3.4")
Weight 35 kg (77.2 lbs)
dark granite order no. 326130
redstone order no. 326131
sandstone order no. 326132

TIP
 Chrome drain tap
 Order no. 330282
 For details please see page 50



- Each tank is unique due to the special production process
- The water tank includes two high-quality brass threads
- Water can be extracted with ease using the tap or water butt connection kit (accessories, page 50)



Linus 2in1 water tank

Compact and state-of-the-art

Linus 2in1 water tank
220 l (58 US gal.)
Height 120 cm (3' 11.2")
ø above 58 cm (22.8")
ø below 40 cm (15.7") | Weight 8 kg (17.6 lbs)
zink grey order no. 326170

- 2 functions: rainwater storage and decoration
- Water can be extracted with ease using the tap or water butt connection kit (accessories, page 50)

TIP
Design Chrome tap 19 mm (¾")

Order no. 330254

For details please see page 50


Linus 2in1 water tank
 zink grey, order no. 326170


2in1 water tank with plant cup

The modern way of dual-function



CLASSIC LINE



2in1 water tank
taupe, order no. 326116



2in1 water tank
300 l (79 US gal.)
Ø max. 62 cm (24.4")
Height 145 cm (4' 9.1")
Weight 12 kg (26.5 lbs)
mocca order no. 326109
zink grey order no. 326111
taupe order no. 326116

TIP
Design Chrome tap 19 mm (3/4")
Order no. 330254
For details please see page 50



- Integrated plant cup for an individual design



Barrica rain barrel

Rustic charm of wooden barrel



Barrica rain barrel
260 l (69 US gal.), order no. 212130

PREMIUM QUALITY

Barrica rain barrel
260 l (69 US gal.)
Ø max. 65 cm (25.6")
Height 93 cm (36.6")
Weight 10 kg (22 lbs)
brown order no. 212130

Barrica rain barrel
420 l (111 US gal.)
Ø max. 78 cm (30.7")
Height 105 cm (3' 5.3")
Weight 14 kg (30.9 lbs)
brown order no. 212132

- Rainwater tank shaped like a rustic wooden barrel
- Removable lid with child-proof lock
- Water can be extracted with ease using the tap or water butt connection kit (accessories, page 50)

TIP
Rain collector Speedy downpipe filter with filter insert
order no. 503041
For details please see page 44



Column tank | Column wall tank

Elegant and space-saving

Column tank
330 l (87 US gal.)
 ø max. 59 cm (23.2") | Height 161 cm (5' 3.4")
 ø cover opening 18 cm (7.1")
 Weight 14 kg (30.9 lbs)
 sand beige order no. 326530
 stone grey order no. 326531

Column tank
500 l (132 US gal.)
 ø max. 73 cm (28.7") | Height 193 cm (6' 4")
 ø cover opening 18 cm (7.1")
 Weight 25 kg (55.1 lbs)
 sand beige order no. 326510
 stone grey order no. 326512

Column tank
1.000 l (264 US gal.)
 ø max. 91 cm (35.8") | Height 222 cm (7' 3.4")
 ø cover opening 18 cm (7.1")
 Weight 44 kg (97 lbs)
 sand beige order no. 326505
 stone grey order no. 326506

Column tank
2.000 l (528 US gal.)
 ø max. 118 cm (3' 10.5")
 Height 223 cm (7' 3.8")
 ø cover opening 18 cm (7.1")
 Weight 75 kg (165.3 lbs)
 sand beige order no. 326540



Column wall tank 550 l (145 US gal.)
 stone grey, order no. 326520

TIP
 Regendieb Pro
 grey, order no. 344202
 For details please see page 47

Column wall tank
350 l (92 US gal.)
 Width 73 cm (28.7") | Depth 48 cm (18.9")
 Height 193 cm (6' 4")
 ø cover opening 18 cm (7.1")
 Weight 25 kg (55.1 lbs)
 sand beige order no. 326526

Column wall tank
550 l (145 US gal.)
 Width 88 cm (34.6") | Depth 52 cm (20.5")
 Height 212 cm (6' 11.5")
 ø cover opening 18 cm (7.1")
 Weight 32 kg (70.5 lbs)
 sand beige order no. 326521
 stone grey order no. 326520



Column tank 500 l (132 US gal.)
 sand beige, order no. 326510



Rainwater amphora | Rainwater wall amphora

Mediterranean-style

Rainwater amphora
terracotta, order no. 211701

TIP
Brass drain tap
Order no. 220011
For details please see page 50



PREMIUM QUALITY



Rainwater wall amphora
terracotta, order no. 211705

Rainwater amphora
300 l (79 US gal.)
ø max. 68 cm (26.8")
Height 129 cm (4' 2.8")
ø cover opening 18 cm (7.1")
Weight 10 kg (22 lbs)
terracotta order no. 211701

Rainwater amphora
500 l (132 US gal.)
ø max. 79 cm (31.1")
Height 150 cm (4' 11.1")
ø cover opening 18 cm (7.1")
Weight 14 kg (30.9 lbs)
terracotta order no. 211702

Rainwater wall amphora
350 l (92 US gal.)
Width 79 cm (31.1") | Depth 55 cm (21.7")
Height 150 cm (4' 11.1")
ø cover opening 18 cm (7.1")
Weight 21 kg (46.3 lbs)
terracotta order no. 211705



Elegance wall tank

Timeless and stylish

Elegance wall tank
sand beige, order no. 212302



Elegance wall tank
400 l (106 US gal.)
Width 60 cm (23.6") | Depth 60 cm (23.6")
Height 180 cm (5' 10.9")
Weight 18 kg (39.7 lbs)
stone grey order no. 212301
sand beige order no. 212302

TIP
Design Chrome tap 19 mm (3/4")
Order no. 330254
For details please see page 50



Terranova wall tank

Simple stucco-optic



TIP
 Rain collector Rapido
 downpipe filter
 Order no. 503073
 For details please see page 45



Terranova wall tank
 275 l (73 US gal.)
 Width 80 cm (31.5") | Depth 40 cm (15.7")
 Height 105 cm (3' 5.3")
 Weight 11 kg (24.3 lbs)
 graphite grey order no. 212120



Wall tank

In natural stone character



Wall tank
 300 l (79 US gal.)
 Width 120 cm (3' 11.2")
 Depth 40 cm (15.7")
 Height 100 cm (3' 3.4")
 Weight 37 kg (81.6 lbs)
 sand beige order no. 326121

- Water can be extracted with ease using the tap or water butt connection kit (accessories, page 50)



Water spring and stone fountains

Practical and stylish



Granit water spring
dark granite, order no. 356025



Rondo water spring
Ø Column 12 cm (4.7") | Base 19 cm (7.5")
Height 90 cm (35.4") | Weight 3 kg (6.6 lbs)
stonegrey order no. 356021



Stone fountain Venezia
redstone, order no. 356102



Stone fountain Roma
lightgranite, order no. 356101

Granit water spring
Height 100 cm (3' 3.4")
Column 13 x 13 cm (5.1" x 5.1")
Base 25 x 25 cm (9.8" x 9.8")
Weight 5 kg (11 lbs)
dark granite order no. 356025
lightgranite order no. 356026

- Including chrome water tap 19 mm (¾")
- Option of connecting from below using 19 mm (¾") hose connection
- Simple installation – holes already in base
- Particularly UV-stable and weather-resistant

Stone fountain Venezia
Height 90 cm (35.4") | Width 44 cm (17.3") | Depth 52 cm (20.5")
Height basin 15 cm (5.9") | Weight 7 kg (15.4 lbs)
lightgranite order no. 356100
redstone order no. 356102

Stone fountain Roma
Height 100 cm (3' 3.4") | Width 54 cm (21.3") | Depth 54 cm (21.3")
Height basin 25 cm (9.8") | Weight 8 kg (17.6 lbs)
lightgranite order no. 356101
redstone order no. 356103

- Includes 19 mm (¾") nostalgic tap for conveniently accessing water
- Options for connecting from below using 19 mm (¾") hose connection
- Particularly UV-stable and weather-resistant
- Pre-assembled and ready for connection

TIP
Ideal as an additional extraction point for rainwater harvesting systems



Wood water spring
lightwood, order no. 356031

Wood water spring
Height 100 cm (3' 3.4") | Column 13 x 13 cm (5.1" x 5.1")
Base 25 x 25 cm (9.8" x 9.8") | Weight 5 kg (11 lbs)
darkwood order no. 356030
lightwood order no. 356031



Timeless water butt

Classic water butt



Water butt toscana
terrakotta, order no. 500216



Lanzarote

Toskana

Siena

Sahara



TIP
Rain collector Rapido
downpipe filter
Order no. 503073
For details please see page 45



Round

Square

Heavy

Timeless water butt 300 l (79 US gal.)

Inclusive lid, drain tap and child protection

water butt	Volume	Ø max.	Height	order no.
Lanzarote, graphite grey	300 l (79 US gal.)	82 cm (32.3")	86 cm (33.9")	500222
Toskana, terrakotta	300 l (79 US gal.)	82 cm (32.3")	86 cm (33.9")	500216
Siena, taupe	300 l (79 US gal.)	82 cm (32.3")	86 cm (33.9")	500227

Water butt Sahara

Inclusive lid, drain tap

Volume	Width	Depth	Height	sand beige order no.
300 l (79 US gal.)	80 cm (31.5")	66 cm (26")	91 cm (35.8")	501209
520 l (137 US gal.)	125 cm (4' 1.2")	80 cm (31.5")	93 cm (36.6")	501208

Water butt stand



Height	order no.
33 cm (13")	502015
33 cm (13")	502010
33 cm (13")	502016

Water butt stand



Height	order no.
33 cm (13")	502008
33 cm (13")	502009

Round water butt

inclusive lid und drain tap

Volume	Ø max.	Height	dark green order no.
210 l (55 US gal.)	77 cm (30.3")	80 cm (31.5")	500212
310 l (81 US gal.)	80 cm (31.5")	94 cm (3' 1")	500213
510 l (134 US gal.)	100 cm (3' 3.4")	110 cm (3' 7.3")	500214

Water butt stand



Volume	Height	dark green order no.
210 l (55 US gal.)	33 cm (13")	502001
310 l (81 US gal.)	33 cm (13")	502002
510 l (134 US gal.)	33 cm (13")	502003

Square water butt

inclusive lid und drain tap

Volume	Depth	Width	Height	dark green order no.
203 l (53 US gal.)	70 cm (27.6")	70 cm (27.6")	82 cm (32.3")	501205
300 l ¹⁾ (79 US gal.)	80 cm (31.5")	66 cm (26")	92 cm (36.2")	501206
520 l ¹⁾ (137 US gal.)	124 cm (4' 0.9")	80 cm (31.5")	93 cm (36.6")	501207

¹⁾Including metal bracing for increased stability

Water butt stand



Volume	Height	dark green order no.
203 l (53 US gal.)	33 cm (13")	502001
300 l (79 US gal.)	33 cm (13")	502004
520 l (137 US gal.)	33 cm (13")	502005

Square water butt heavy version

inclusive lid und drain tap

Volume	Depth	Width	Height	dark green order no.
210 l (55 US gal.)	81 cm (31.9")	63 cm (24.8")	69 cm (27.2")	501201
400 l (106 US gal.)	96 cm (3' 1.9")	75 cm (29.5")	84 cm (33.1")	501202
650 l (172 US gal.)	126 cm (4' 1.6")	100 cm (3' 3.4")	87 cm (34.3")	501203

Top-Tank | Garden-tank | Garden-tank Classico

Top-tank 1.300 l (343 US gal.)

Ø max. 118 cm (3' 10.5")
Height 156 cm (5' 1.4")
Weight 30 kg (66.1 lbs)
dark green order no. 323001

- Reasonably priced solution for above-ground rainwater harvesting
- Extremely stable
- Can be extended in any way
- Preformed connections: 2 x DN 70, 2 x DN 100 and 1 x DN 200 suitable for standard high-temperature wastewater pipes

Garden-tank 500 l (132 US gal.)

Width 88 cm (34.6") | Depth 72 cm (28.3")
Height 108 cm (3' 6.5") | Ø Lid 38 cm (15")
Weight 23 kg (50.7 lbs)
dark green order no. 326022

Garden-tank 750 l (198 US gal.)

Width 88 cm (34.6") | Depth 72 cm (28.3")
Height 161 cm (5' 3.4") | Ø Lid 38 cm (15")
Weight 39 kg (86 lbs)
dark green order no. 326010

Garden-tank 1.000 l (264 US gal.)

Width 105 cm (3' 5.3") | Depth 77 cm (30.3")
Height 174 cm (5' 8.5") | Ø Lid 38 cm (15")
Weight 52 kg (114.6 lbs)
dark green order no. 326011

Garden-tank Classico

650 l (172 US gal.)
Width 80 cm (31.5") | Depth 60 cm (23.6")
Height 192 cm (6' 3.6") | Ø Lid 18 cm (7.1")
Weight 28 kg (61.7 lbs)
dark green order no. 326030

Garden-tank Classico

1.300 l (343 US gal.)
Set consists of 2 x 650 l (172 US gal.) tank, including connection kit
Width 165 cm (5' 5") | Depth 60 cm (23.6")
Height 192 cm (6' 3.6") | Ø Lid 18 cm (7.1")
Weight 56 kg (123.5 lbs)
dark green order no. 326035

Accessory Top-tank

Extention set DN 70

Consisting of 2 special seals (without drill and connecting pipe)
order no. 322010

Suction fitting 2.5 cm (1")

without hose | afloat
order no. 330054

Drill DN 70

with mounting shank
order no. 202002

Garden-tank 2.000 l (528 US gal.)

Set consists of 2 x 1.000 l (264 US gal.) tank, including connection kit
dark green order no. 326015

- Suited for garden and cellar installation
- Can be extended in any way
- Convenient cleaning thanks to large cover 38 cm (15")
- Cover with child-proof lock
- Transparent universal hose kit, can also be used as level indicator

Garden-tank Classico

2.600 l (687 US gal.)
Set consists of 4 x 650 l (172 US gal.) tank, including connection kit
Width 335 cm (10' 12") | Depth 60 cm (23.6")
Height 192 cm (6' 3.6") | Ø Lid 18 cm (7.1")
Weight 112 kg (247 lbs)
dark green order no. 326036

- Suited for garden and cellar installation
- Can be extended in any way
- 19mm (¾") inner thread for simple fitting of the tap

Garden-tank Classico dark green, order no. 326030



Garden-tank 750 l (198 US gal.) dark green, order no. 326010



Top-tank dark green, order no. 323001



Practical advantages of Top-Tank

Ease of transport

Each half of the Top-Tank only weighs 30 kg (66 lbs). This allows ease of transport and manual installation. The tank halves fit through any doorway (80 cm (31.5") width and above).



Patented quick connection




Connection made easy:

Installation and connection of a GRAF decorative tank

DOWNPIPE FILTER

Downpipe filters reliably filter dirt from rainwater, thus ensuring optimal water quality. The water butt cannot overflow due to an overflow stop. The excess water simply flows back into the downpipe. In the winter, the inlet to the rainwater tank is easy to stop.

The downpipe filter ensures optimal water quality



The water butt fills up automatically and overflowing of the full water butt is prevented.



Easy switching from summer to winter use.



VIDEO TIP
How does a downpipe filter work?
www.graf-water.com

Downpipe filter

Page 44



Tank accessories

Page 50


DRAIN TAP

Water extraction is made extremely convenient by the GRAF tap (accessories). It is screwed into the tank's standard thread connection without the need for drilling.



GRAF UNIVERSAL HOSE KIT

The GRAF universal hose kit (accessories) provides an additional extraction option. It is used to leverage the tank's full volume, and also as a fill level indicator. The hose kit (accessories) is either screwed into the tank's convenient connection or mounted on to the tank using a drill and a seal.



GRAF TV
www.graf-water.com



The ground must be level for the installation of a tank.



The downpipe is connected using a downpipe filter.



A hole is drilled in the tank for the installation of the inlet seal.



The integrated plant cup enables an individual design.



Your decorative tank is now perfectly installed and connected.



You will find the video on our website
www.graf-water.com

Rain collector *Speedy*

The installation champions

Rain collector Speedy
 Height 9 cm (3.5") | Ø 6 cm (2.4")
 Order no. 503041

- No removal of the downpipe for the installation
- Distance between downpipe and wall is irrelevant
- With Overflow function
- Summer/winter operation
- With filter insert
- Downpipe sizes 70 – 100 mm (2.8" – 4")
- Including core drill, connection seal and flexible connection hose 40 cm (15.7")



Rapido® | Rapido® Quattro

INSTALLED IN 5 MINUTES

Rain collector Rapido
 Height 8,3 cm (3.3") | Ø 6 cm (2.4")
 Order no. 503073

- No removal of the downpipe for the installation
- Distance between downpipe and wall is irrelevant
- With Overflow function
- Summer/winter operation
- Downpipe sizes 70 – 100 mm (2.8" – 4")
- Including core drill, connection seal and flexible connection hose 40 cm (15.7")



Rain collector Rapido Quattro
 Height 8,3 cm (3.3") | Ø 6 cm (2.4")
 Order no. 503071

- Suitable for square downpipes



Overview downpipe filter



Product	Speedy	Rapido	Rapido Quattro	Avanti	Regendieb	Regendieb Pro	Filling device de luxe	Filling device	Foliage guard	Quattro Twist	Quattro
Page	44	45	45	46	46	47	48	48	48	49	49
Downpipe sizes	70 – 100 mm (2.8" – 4")	70 – 100 mm (2.8" – 4")	50 x 75 mm (2" x 3")	70 – 100 mm (2.8" – 4")	70 – 100 mm (2.8" – 4")	70 – 100 mm (2.8" – 4")	70 – 100 mm (2.8" – 4")	70 – 100 mm (2.8" – 4")	70 – 100 mm (2.8" – 4")	50 x 75 mm (2" x 3")	50 x 75 mm (2" x 3")
Overflow stop function	•	•	•	•	•	•	•	•	–	•	•
Max. roof area	80 m² (861.1 ft²)	80 m² (861.1 ft²)	50 m² (538.2 ft²)	80 m² (861.1 ft²)	80 m² (861.1 ft²)	200 m² (2152.8 ft²)	80 m² (861.1 ft²)	50 m² (538.2 ft²)	80 m² (861.1 ft²)	80 m² (861.1 ft²)	50 m² (538.2 ft²)
Rainwater butt connection	32 mm (1 ¼")	32 mm (1 ¼")	32 mm (1 ¼")	32 mm (1 ¼")	DN 70 DN 50, 32 mm (1 ¼")	DN 50, 32 mm (1 ¼")	32 mm (1 ¼")	25 mm (1")	–	25 mm (1")	19 mm (¾")
Required distance between downpipe and wall	–	–	–	–	25 mm (1")	16 mm (0.6")	25 mm (0.9")	16 mm (0.6")	5 mm (0.2")	10 mm (0.4")	8 mm (0.3")
Switch for summer / winter operation	•	•	•	–	•	•	•	•	•	•	•
Filter insert	plastic sieve	–	–	–	stainless steel sieve	stainless steel sieve	plastic sieve	plastic sieve	plastic sieve	plastic sieve	plastic sieve

Rain collector *Avanti* | Regendieb

Rain collector *Avanti*

Order no. 503076

- No removal of the downpipe for the installation
- Distance between downpipe and wall is irrelevant
- With Overflow function
- Including core drill, connection seal and flexible connection hose 40 cm (15.7")
- Simple, quick installation



Regendieb



Height 25 cm (9.8") | Width 15 cm (5.9")

Depth 20 cm (7.9")

grey order no. 343011

brown order no. 343010

- Stainless steel sieve
- Downpipe sizes 70–100 mm (2.8"–4")
- Including connection seal



Regendieb Pro

The slim version for big roof areas

Regendieb Pro

Height 25,5 cm (10") | Ø 13 cm (5.1")

grey order no. 344202

brown order no. 344203

- New filter principle with greater filter area
- Slim design – only 16 mm (0.6") distance between downpipe and outside wall
- Turnable filter body for flexible connection
- Downpipe sizes 70–100 mm (2.8"–4")
- Including connection seal



**FOR ROOF SURFACES
UP TO 200 m² (2152.8 ft²)**

TIP
Connection set
Flex-Comfort
z.B. grey order no. 220019
For details please see page 51



Filling device | Filling device de luxe

Foliage guard

Filling device

Height 11,5 cm (4.5") | **Ø** 13 cm (5.1")
grey order no. 503011
brown order no. 503010

- Downpipe sizes 70–100 mm (2.8"–4")
- 25 mm (1") side outlet, with hose and screw connection



Filling device de luxe

Height 15 cm (5.9") | **Ø** 15 cm (5.9")
grey order no. 503015
brown order no. 503014

- Downpipe sizes 70–100 mm (2.8"–4")
- 32 mm (1 ¼") side outlet, with hose and screw connection




Quattro | Quattro Twist

Quattro Twist

Height 24,5 cm (9.7") | **Width** 16 cm (6.3")
Depth 20 cm (7.9")
brown order no. 503051
beige order no. 503052


- Suitable for oval and square downpipes
- Easy to switch from summer to winter operation
- High water yield (approx. 90%)
- With internal sieve
- Turnable 90°, patented
- 2,5 cm (1") side outlet



Foliage guard

Height 35 cm (13.8") | **Width** 11 cm (4.3")
Depth 18 cm (7.1")
grey order no. 346013



- Reliably traps leaves and large contaminants, preventing the downpipe from getting blocked
- Ideal in areas with a lot of leaves e.g. as pre-filter
- Self-cleaning and low-maintenance
- Convenient removal of screen area without having to dismantle the filter for cleaning or before frost period
- Can be easily switched from summer to winter use
- Downpipe sizes 70–100 mm (2.8"–4")



Quattro

Height 11,9 cm (4.7") | **Width** 10,3 cm (4.1")
Depth 13,3 cm (5.2")
grey order no. 503060
beige order no. 503062

- Suitable for oval and square downpipes
- Easy to switch from summer to winter operation
- High water yield (approx. 90%)
- 19 mm (¾") side outlet
- With internal sieve



Accessory

For water butts and overground water tanks



Design chrome tap 19 mm (3/4")
This stylish chrome tap is suitable for all tanks of Modern line. Chrome polished, size 19 mm (3/4"), incl. teflon sealing tape.
order no. 330254



Tap
A must for all stylish tanks! Suitable for all products of Classic and Exclusive Line, socket size 19 mm (3/4"), incl. teflon sealing tape.
brass order no. 220011
chrome order no. 330282



Tap with tank screw
Connection for Herkules, top and garden tank, size 19 mm (3/4"), incl. teflon sealing tape.
brass order no. 330044



Connection set Flex-Comfort
Extra-long and extremely flexible connection kit (40 cm (15.7")) to connect rainwater tanks as well as Regendieb, Regendieb de luxe and Regendieb Pro. Includes extensive installation accessories.

Scope of supply:
Flexible 40 cm (15.7") connection hose, core drill and hose connector; with 2 x connection fittings, inlet seals and hose clips.
grey order no. 220019
brown order no. 220020



Tap for water butts
Water butt tap with sealing ring and lock nut, size 19 mm (3/4").
order no. 504011



Aqua-Quick plastic tap
with brass finish, suited to all above-ground tanks and water butts, socket size 19 mm (3/4").
order no. 504040



Aqua-Quick 4-part plastic tap kit
So that water can run faster! Plastic tap with brass finish in complete kit consisting of: tap with seal and screw connection, connecting pieces for standard hose fitting, hose 13 mm (1/2") and hose 19 mm (3/4"), union nuts and seals.
order no. 504044




Tap connection
With inside and outside thread, made of plastic, suitable for 19 mm (3/4") tap with outside thread and other taps.
order no. 504025





Overflow bend
With hose connection
Size 32 mm (1 1/4")
order no. 330041

Size 51 mm (2")
order no. 330043



Child-proof lock | wind protection
For water butt cover (reusable), 4 items
order no. 504016



Universal Hose Set 3/4"
Kit for complete water extraction and water level display for above-ground rainwater storage tanks. Consisting of 2.15 m (7' 0.6") flexible hose, extraction tap and various connection options. Suited to all storage tanks.
order no. 220015



Water butt connection kit
Consisting of two hose connections with lock nut and 25 cm (9.8") hose.
19 mm (3/4")
order no. 504017

19 mm (3/4") with drill
order no. 504018
32 mm (1 1/4")
order no. 330031
51 mm (2")
order no. 330040



For more information about rainwater harvesting products ask for our catalogue „Rainwater harvesting solutions”.



www.graf-water.com

RAINWATER HARVESTING



Prices:

A price list with our export conditions is available on request.

Warranty clause:

The warranty mentioned in this brochure only refers to the tank in question and not to the accessories. Within the warranty period we grant free replacement of the material. Further benefits are excluded. Pre-condition for warranty benefits are proper handling, assembly and installation according to the mounting guidelines.

Over and above the statutory regulation, GRAF is lengthening the warranty period for a number of underground tanks. This relates to proper handling, assembly and installation in accordance with the installation manual, as well as leakproofness, usability and static safety. The prerequisites of this are competent assembly and operation in accordance with the requirements, namely the currently valid installation and operating instructions and the prevailing standards.

N.B. Protect tanks from frost when installed aboveground! In case of groundwater installation, please contact us for further information previous to the purchase!

For all indications of measurements in this brochure we reserve a tolerance of +/- 3%. The useful volume of the tanks may be up to 10% lower than the tank capacity, according to the connecting option.

Technical modifications and further development of the different products are subject to change. Errors excepted.

For all our offers and conclusions of contract are only valid our General Terms and Conditions of Business dated 01/10/2012 which we will send to you on request.

INFILTRATION



WASTEWATER TREATMENT SOLUTIONS



SEPARATORS



GARDEN PRODUCTS & MULTI-PURPOSE CONTAINERS



Otto Graf GmbH
Kunststoffzeugnisse
Carl-Zeiss-Straße 2 – 6
DE-79331 Teningen

Tel.: +49 7641 589-0
Fax: +49 7641 589-50
mail@graf.info
www.graf.info

GRAF UK Ltd
Regen House
Beaumont Road
Banbury, Oxfordshire
UK-OX16 1RH

Phone: +44 1608 661-500
Fax: +44 01295 211333
info@grafuk.co.uk
www.graf-water.com

©Otto Graf GmbH/Item no. 960305/EN